

Synchronisation Analysis over Concurrent TCP Flows

Philip Jay, Qiang Fu
{pjay, qfu}@swin.edu.au



Outline

- Motivation
- Implementation
- Method
- Results
- Conclusion
- Further Work



Motivation



- Flow characteristics focus on single TCP flows
- Characteristics of concurrent TCP flows are unknown
- There may or may not be global synchronisation

Motivation



- TCP flows should share the bandwidth
- Convergence time to fairly share bandwidth
- Synchronised packet losses increase convergence time

Implementation



- Modified FreeBSD 5.4 host at Swinburne
 - TCP stack modified to include current RTT estimates in TCP packets
- Remote hosts in various locations
 - South Australia
 - China
 - Germany
 - USA

Implementation



- Generate tcpdump trace data
- Unix cron utility to schedule data collection
- Script to automatically run various programs
 - tcpdump to capture the TCP/IP headers
 - scp to perform a data transfer

Implementation



- Analysis of the data
 - Six gigabytes of trace files for a 1 week trial
 - Custom Java program

Method



- Loss events vs. lost packets
- Correlate lost packets into loss events
 - Period between sending time and detection time of the first lost packet
 - Any lost packets in that time increase the duration of the loss event
 - Verified

Method




- Compare the flow with the most loss events to all other flows
- Count how many other flows have losses at the same time

Results



- South Australian remote host (12ms round trip time)






Results

■ German remote host (340ms RTT)


Synchronised Loss Events
(7 day trial - Germany)



Results

■ USA remote host (230ms RTT)

Synchronised Loss Events
(3 day trial - USA)




Results



■ Chinese remote host (170ms RTT)

Synchronised Loss Events
(3 day trial - China)



Conclusion



- Some new TCP algorithms assume 100% synchronisation
- Losses are not 100% synchronised
- Serious congestion likely to be synchronised

Further Work



- Analyse the data in more depth
 - Correlate round trip times
 - Group flows together
- Capture the congestion window size
 - Accidentally captured the advertised size
- Use different versions of TCP
- Attempt method again in a controlled environment